

INDEX TO VOLUME 5

- ABROTANELLA—*A. forsteroides*, 224.
 ACACIA—"Wattle Trees"—Cultivation of 44 Qld. species, 15; S.A. (6) species, 297-8; Tasmanian (19) species, 280; For Clay Areas, 199; For Dry Areas, 83-90; Sydney species, 170; *A. baileyana*, 230; *A. iteaphylla*, 359.
 ACIANTHUS—*A. fornicatus*, 162 (3:28).
 ACROTRICHE—*A. fasciculiflora*, 331.
 ACTINOTUS—3 species, 168 (3:63).
 AGASTACHYS—*A. odorata*, 108.
 AGONIS—Three species, 199, 292 (4:35).
 ALBIZZIA—*A. lapantha*, 199.
 ALYOGYNE—*A. hakeifolia*, 90, 199 (4:16).
 ANACAMPSEOS—*A. australiana*, 51.
 ANIGOZANTHOS—For clay, 199 (2:16).
 ANGOPHORA—*A. costata*, 176, 199 (1:7).
 ANGUILLARIA—*A. diocia*, 51.
 ANNUALS—For Qld., 8 (2:19).
 ANOPTERUS—*A. glandulosa*, 110 (3:27).
 ANTHOCERCIS—*A. angustifolia*, 327.
 ANTHOTIUM—*A. humile*, 242; *A. rubriflorum*, 246.
 ARTHROPODIUM—Four species, 75.
 ASTARTEA—*A. fascicularis*, 199.
 ASTEROLASIA—*A. asteriscophora*, 199; *A. humifusum*, 154.
 ATRIPLEX—*A. nummularia*, 87; *A. cinerea*, 91.
 ATHROTAXIS—*A. cupressoides*, 111 (4:34).
 BAECKEA—Six species, 199; *B. crassifolia*, 91; S.A. species, 299 (4:30).
 BANKSIA—Many species, 194-240; Sydney Banksia, 164, 181; S.A. Banksia, 289-336; *B. ornata*, 90; Propagation, 356.
 BAUERA—*B. rubioides*, 178, 199 (2:17); *B. sessiliflora*, 199.
 BAUHINIA—*B. carronii*, 85.
 BEAUFORTIA—*B. sparsa*, 199 (3:22); *B. heterophylla*, 261.
 BLANCOA—*B. canescens*, 246.
 BLANDFORDIA—*B. grandiflora*, 160 (2:13).
 BORONIA—Sydney species, 172; S.A. species, 299, 319; Cultivation, 155; For Clay, 199; *B. heterophylla*, 498; *B. scabra*, 268 (2:17).
 BOSSIAEA—*B. heterophylla*, 174.
 BRACHYCHITON—*B. acerifolium*, 184, 199 (1:9); *B. rupestre*, 14; *B. populneum*, 83, 85; *B. gregori*, 85.
 BRACHYCOME—*B. multifida*, 9, 91, 199; *B. rigidula*, 266; *B. melanacarpa*, 199.
 BRACHYSEMA—*B. lanceolata*, 89, 199; *B. latifolium*, 199.
 BULBINOPSIS—*B. bulbosa*, *B. semibarbata*, 75.
 BULBOPHYLLUM—Sydney species, 164.
 BURCHARDIA—*B. umbellata*, 75, 161.
 BURTONIA—*B. foliosa*, 91.
 CAESIA—*C. vittata*, *C. parviflora*, 75.
 CALADENIA—S.A. species, 306, 369.
 CALECTASIA—*C. cyanea*, 56, 233.
 CALLICOMA—*C. serratifolia*, 170, 199.
 CALLISTEMON—84, 87, 89, 176, 199, 331, 333, 359.
 CALLITRIS—*C. tasmanica*, 110, 199.
 CALOCEPHALUS—*C. brownii*, 91, 199.
 CALOSTEMMA—*C. purpureum*, *C. luteum*, 76, 91.
 CALOTHAMNUS—*C. quadrifidus*, 89, 199.
 CALYTRIX—*C. tetragona*, 87, 176, 325; 3 species, 199.
 CAMPYNOMA—*C. lineare*, 274.
 CASUARINA—83, 84, 85, 86, 199, 326, 359; *C. littoralis*, 183.
 CASSIA—*C. artemesioides*, *C. desolata*, *C. nemophila*, *C. sturtii*, 87, 89, 199.
 CATOSPERMA—*C. goodeniaceae*, 242.
 CERATOPETALUM—*C. gummiferum*, 170 (1:5).
 CHAMAELAUCIUM—For Clay Areas, 199 (3:143).
 CHAMAESCILLA (Liliaceae)—*C. corymbosa*, 76.
 CHEIRANTHERA—*C. linearis*, 268.
 CHILOCHISTA—*C. phyllorhiza*, 304.
 CHORIZEMA—4 species for clay areas, 199.

- CLEMATIS—*C. glycinoides*, 182; *C. aristata*, 182.
 CLIANTHUS—"Sturt's Desert Pea"—*C. formosus*, 9, 50, 259.
 COMESPERMUM—*C. ericinum*, 174. CONOSTYLIS—*C. aculeata*, 246.
 CONOSPERMUM—Eastern species, 166.
 CORREA—*C. alba*, 91, 172; *C. pulchella*, 87, 89, 299, 359; *C. reflexa*, 87, 89, 72, 197, 213; S.A. species, 319.
 CORYNOTHECA—All species, 76. CRINUM—*C. flaccidum*, 77 (3:262).
 CROWEA—*C. saligna*, 157, 174; *C. exalata*, 174, 213 (1:54).
 CRYPTANDRA—*C. hispidula*, 331. CRYPTOSTYLIS—*C. subulata*, 305.
 CYANOSTEGIA—*C. angustifolia*, 262, 284.
 CYMBIDIUM—*C. canaliculatum*, 144; *C. sauve*, 135.
 DAMPIERA—*D. lanceolata*, 91; *D. lavandulaceae*, 299; *D. hederaceae*, 213; *D. linearis*, 213; 6 species, 247, 251; *D. stricta*, 168; *D. purpurea*, 168; For S.A., 294.
 DARWINIA—*D. fascicularis*, 176, 180; *D. citriodora*, 213.
 DASYPOGON—*D. bromeliaefolius*, 262.
 DENDROBIUM—*D. linguiforme*, 2; Section *Rhizobium*, 16; *D. bairdianum*, 105; *D. bifalce*, 106; *D. kingianum*, 275.
 DIANELLA—*D. laevis*, 56; *D. revoluta*, 56.
 DIASPASIS—*D. filifolia*, 246.
 DICHONDRA—*D. repens*, 91. DICHOPOGON—*D. strictus*, 75.
 DILLWYNIA—*D. retorta*, 174. DIPLARRENA—*D. moraca*, 243.
 DIPLOLAENA—*D. grandiflora*, 213. DISELMA—*D. archeri*, 268.
 DISPHYMA—*D. australe*, 91.
 DODONAEA—4 species, 87; *D. procumbens*, 269; *D. viscosa*, 213.
 DONATIA—*D. novae zelandiae*, 226.
 DORYANTHES—*D. excelsa*, 152.
 DRACOPHYLLUM—All four species, 206; *D. minimum*, 225; *D. milliganii*, 274.
 DROSERA—*D. binata*, 170, 33; *D. spathulata*, 13.
 DRYANDRA—*D. formosa*, 213; *D. pteridifolia*, 250; *D. calophylla*, 250.
 ELAEOCARPUS—*E. reticulatus*, 189, 213.
 EPACRIS—*E. longiflora*, 178, 213 (3:195).
 EREMAEA—*E. beaufortoides*, 213; *E. violacea*, 213.
 EREMOPHILA—*E. calorrhados*, 262; *E. santalina*, 326; *E. maculata*, 213; *E. densifolia*, 262.
 ERIOSTEMON—*E. buxifolius*, 172; *E. hispidulus*, 172; *E. lanceolatus*, 172; *E. myoporoides*, 172, 213; *E. obovalis*, 172; *E. scaber*, 172; *E. verrucosus*, 213 (1:4:3).
 ERYTHRINA—All species, 283.
 EUCALYPTUS—S.A. species, 310, 330; Tas. species, 115; Sydney species, 176, 177; In clay soils, 213; In cold countries, 263; In urban Development, 364; In Sth. Aust., 359; For dry areas, 323; *E. cinerea*, 35; *E. crucis*, 96; *E. stricklandii*, 113.
 EUCRYPHIA—*E. lucida*, 110 (26:253).
 EUGENIA—*E. myrtifolia*, 213; *E. smithii*, 213; *E. wilsonii*, 29.
 EUTAXIA—*E. obovata*, 213. FICUS—*F. macrophylla*, 85.
 FRANKENIA—*F. pauciflora*, 266.
 GASTRODIA—Both species, 278.
 GEUERA—*G. parviflora*, 84. GLYCINE—*G. tabacina*, 13.
 GOMPHOLOBIUM—*G. pinnatum*, 13 (2:185).
 GOODENIA—*G. affinis*, 247; *G. albiflora*, 328; *G. hederaceae*, 247; *G. ovata*, 168; *G. stelligera*, 168.
 GOSSYPIMUM—*G. sturtianum*, 213 (3:301).
 GREVILLEA—*G. acanthifolia*, 164; *G. alpina*, 213; *G. annulifera*, 250; *G. aquifolia*, 89; *G. australis*, 269; *G. asper*, 90; *G. asplenifolia*, 164; *G. banksii*, 213, 294; *G. bipinnatifida*, 90; *G. biformis*, 250, 212; *G. brevicuspis*, 213; *G. buxifolia*, 164; *G. caleyi*, 164; *G. x gaudichaudii*, 164; *G. hookeriana*, 213; *G. heugelii*, 294; *G. ilicifolia*, 90; *G. integrifolia*, 250; *G. juniperina*, 213; *G. laurifolia*, 164; *G. lavandulaceae*, 88, 213; *G. leiophylla*, 13; *G. linearifolia*, 164; *G. leucopteris*, 194; *G. longifolia*, 164, 213; *G. longistylis*, 213; *G. nematophylla*, 88; *G. oleoides*, 164, 294; *G. paniculata*, 213; *G. phyllicoides*, 164; *G. pinasta*, 213, 294; *G. punicea*, 164; *G. robusta*, 41, 213; *G. shuttleworthiana*, 250; *G. sericea*, 164; *G. sphacelata*, 164; *G. thelemanniana*, 89; *G. tridentifera*, 294; *G. tripartita*, 213.
 HAKEA—many species no. 44 issue.
 HALGANIA—*H. cyanea*, 91, 268.

- HARDENBERGIA**—*H. comptoniana*, 213, 359; *H. violaceae*, 13; *H. monophylla*, 213.
- HELICHRYSUM**—*H. apiculatum*, 226.
- HELIPTERUM**—*H. manglesii*, 8; *H. roseum*, 8 (2:223).
- HEMIANDRA**—*H. pungens*, 267.
- HEMIGENIA**—*H. purpurea*, 182. **HEMIPHORA**—*H. elderi*, 262.
- HIBBERTIA**—*H. montana*, 261; *H. obcuneata*, 213; *H. scandens*, 178, 213; *H. stellaris*, 213, 228; *H. stricta*, 178; *H. miniata*, 261; *H. nitida*, 228; *H. virgata*, 301; *H. lasiopsis*, 261.
- HIBISCUS**—*H. diversifolius*, 170; *H. huegelii*, 88, 213; *H. heterophyllus*, 170.
- HOMALANTHUS**—*H. populifolius*, 213.
- HOVEA**—*H. lanceolata*, 213; *H. longifolia*, 174.
- HYBANTHUS**—*H. vernonii*, 168. **HYMENOSPORUM**—*H. flavum*, 213.
- HYPOCALYMMMA**—*H. angustifolium*, 213, 381; *H. cordifolium*, 213; *H. puniceum*, 213; *H. robustum*, 213 (4:95).
- HYPOXIS**—*H. glabella*, 78; *H. pusilla*, 78. **HYPSELA**—168.
- INDIGOFEA**—*I. australis*, 213. **ISOPHYSIS**—*I. tasmanica*, 273.
- ISOPOGON**—*I. anemonifolius*, 153, 166; *I. buxifolius*, 213; *I. cuneatus*, 213; *I. dubius*, 22, 213; *I. fletcheri*, 166; *I. formosus*, 213; *I. latifolius*, 213.
- ISOTOMA**—91.
- JACKSONIA**—*J. floribunda*, 47; *J. furcellata*, 47; *J. lehmannii*, 47.
- JOHNSONIA**—*J. acaulis*, 245; *J. lupulina*, 262; *J. pubescens*, 245.
- KENNEDYA**—Most species, 213 (2:21).
- KERAUDRENIA**—*K. integrifolia*, 262.
- KUNZEA**—*K. ambigua*, 176; *K. baxteri*, 213; *K. capitata*, 176, 213; *K. parvifolia*, 213; *K. recurva*, 213; *K. sericea*, 213.
- LAGUNARIA**—*L. patersonii*, 85 (3:272).
- LAMBERTIA**—*L. ericifolia*, 213; *L. formosa*, 145, 166, 213; *L. multiflora*, 384.
- LECHENAULTIA**—*L. biloba*, 213; *L. tubiflora*, 241, 248.
- LEPTOSPERMUM**—*L. nitidum*, 213; *L. petersonii*, 213; *L. rotundifolium*, 213; *L. squarrosum*, 167, 176; *L. flavescens*, 176.
- LEUCOPOGON**—*L. concurvus*, 331. **LHOTZKYA**—*L. glaberrima*, 330.
- LIBERTIA**—*L. pulchella*, 161, 274.
- LIPARIS**—*L. coelogynoides*, 135; *L. reflexa*, 135, 162.
- LOBELIA**—*L. gracilis*, 13; *L. membranacea*, 13. **LOGANIA**—*L. recurva*, 327.
- LOMANDRA**—*L. leucocephala*, 56; *S.A. species*, 326.
- LOMATIA**—*L. silaifolia*, 166. **LOTUS**—*L. australis*, 91, 268.
- MACADAMIA**—All species, 29-31. **MACROPIDIA**—*M. fuliginosa*, 244.
- MELALEUCA**—*M. acuminata*, 88; *M. armillaris*, 84, 214; *M. decussata*, 88, 214; *M. deltoidia*, 214; *M. diosmifolia*, 213; *M. elliptica*, 214; *M. erubescens*, 214; *M. filifolia*, 213; *M. fulgens*, 196, 213, 214; *M. halmaturorum*, 84; *M. huegelii*, 214; *M. hypericifolia*, 9, 213; *M. incana*, 88, 214, 293, 359; *M. lanceolata*, 85, 214; *M. lateritia*, 90, 214; *M. leucadendron*, 213; *M. linariifolia*, 214; *M. longicoma*, 214; *M. longifolia*, 88; *M. megacephala*, 88, 213; *M. micromera*, 214; *M. nesophila*, 88, 213; *M. nodosa*, 176, 214; *M. pauperiflora*, 84; *M. platycalyx*, 214; *M. polygaloides*, 214; *M. pulchella*, 90; *M. radula*, 213; *M. squarrosa*, 214; *M. steedmanii*, 90, 214; *H. styphelioides*, 214; *M. tenella*, 214; *M. thymifolia*, 176, 214; *M. uncinata*, 88; *M. wilsonii*, 214.
- MELIA**—*M. azedarach*, 112, 214, 359. **MICRANTHEUM**—*M. demissum*, 331.
- MICROCACHRYS**—*M. tetragona*, 268.
- MICROMYRTUS**—*M. ciliata*, 214, 380.
- MICROSERIS**—*M. scapigerum*, 78. **MIMULUS**—*M. repens*, 13, 91, 268.
- MUEHLENBECKIA**—*M. adpressa*, 91.
- MYOPORUM**—*M. debile*, 214; *M. humile*, 214; *M. insulare*, 91, 214; *M. montanum*, 90; *M. parvifolium*, 91; *M. viscosum*, 88; *M. platycarpum*, 90; *M. floribundum*, 214.
- NEOGOODENIA**—*N. minutiflora*, 242.
- NOTHOFAGUS**—*N. cunninghamii*, 110.
- OLEARIA**—*O. phlogopappa*, 214; *O. teretifolia*, 266; *O. muelleri*, 88; *O. ciliata*, 299, 329.
- OREOCALLIS**—*O. pinnatum* and *O. wickhamii*, 4.
- ORTHOSANTHUS**—*O. multiflorus*, 56. **OTTELLA**—*O. ovalifolia*, 13.
- OXYLOBIUM**—*O. lanceolata*, 214; *O. tricuspidatum*, 214, 269.
- PANDOREA**—*P. pandorana*, 182.
- PASSIFLORA**—*P. cinnabarina*, 182.
- PATERSONIA**—*P. glabrata*, 57, 161; *P. fragilis*, 56; *P. longiscapa*, 56; *P. occidentalis*, 243, 245. **PELARGONIUM**—*P. australe*, 13.

- PENTAPTILON—*P. careyi*, 242. PERSOONIA—*P. pinifolia*, 167.
 PETROPHILA—*P. biloba*, 214, 348; *P. longifolia*, 251; *P. media*, 250; *P. drummondii*, 349; Growing in S.A., 349.
 PHEBALIUM—*P. brachyphyllum*, 299; *P. bullatum*, 88; *P. glandulosum*, 88, 214; *P. ozothamnoides*, 214; *P. squamulosum*, 154; 172; *P. woombye*, 13.
 PHILOTHECA—*P. salsolifolia*, 155, 156, 174.
 PHYLLACHNE—*P. colensoi*, 225.
 PIMELEA—*P. decora*, 22; *P. ferruginea*, 214; *P. linifolia*, 13, 178; *P. petrophila*, 327.
 PITTOSPORUM—*P. bicolor*, 214; *P. phylliraeoides*, 84, 214; *P. rhombifolium*, 214; *P. revolutum*, 183; *P. undulatum*, 85, 183, 214.
 PITYRODIA—*P. axillaris*, 267, 284; *P. dilatata*, 267.
 PODOCARPUS—*P. lawrencei*, 214. POMADERRIS—*P. obcordata*, 299.
 PROSTANTHERA—*P. aspalathoides*, 88, 214, 301; *P. baxteri*, 214; *P. behriana*, 302, 327; *P. caerulea*, 182; *P. chlorantha*, 327; *P. cuneata*, 214; *P. denticulata*, 182; *P. eurybioides*, 327; *P. howellae*, 151; *P. incana*, 182; *P. incisa*, 151, 182; *P. linearis*, 151, 182; *P. ovalifolia*, 182, 188, 214; *P. prunelloides*, 182; *P. rotundifolia*, 214; *P. saxicola*, 266; *P. sieberi*, 151, 214; *P. striatifolia*, 88.
 PSORALEA—*P. adscendens*, 214.
 PTEROSTYLIS—Growing in Brisbane, 19; Check List, 60; *P. plumosa*, 138; On N.S.W. Mid-north Coast, 219. PTERYGOPAPPUS—*P. lawrencii*, 224.
 PTILOTUS—*P. spathulata*, 246; *P. obovatus*, 249; *P. exaltatus*, 246.
 PULTENAEA—*P. flexilis*, 174; *P. microphylla*, 268; *P. peduncularis*, 214; *P. stipularis*, 174; *P. weindorferi*, 214; S.A. species, 298.
 RANUNCULUS—*R. lappaceus*, 182.
 REGELIA—*R. ciliata*, 214; *R. inops*, 214; *R. velutina*, 214.
 RHAGODIA—*R. spinescens*, 269. RHAPHIDOPHORA—*R. pinnatum*, 10.
 RHODODENDRON—*R. lochae*, 48.
 RICHEA—All species No. 39, *R. scoparia*, 229.
 RICINOCARPUS—*R. pinifolius*, 149, 174.
 SARCOCHILUS—*S. falcatus*, 136; *S. fitzgeraldii*, 136; *S. hartmanii*, 136.
 SCAEVOLA—*S. aemula*, 11, 302; *S. crassifolia*, 91, 253; *S. oxyclona*, 253; *S. phlebotopata*, 253; *S. striata*, 214; *S. taccada*, 12.
 SCHOLTZIA—*S. oligandra*, 214. SELLIERA—*S. exigua*, 242.
 SENEIO—Six species, 103; S.A. species, 330.
 SOWERBAEA—*S. juncea*, 161. SPHENOTOMA—All species, 254-258.
 SPRENGELIA—*S. incarnata*, 154, 178 (4:248).
 SPIRANTHES—*S. sinensis*, 305. SPYRIDIDIUM—S.A. species, 332.
 STENOCARPUS—*S. sinuatus*, 214.
 STYLIDIUM—*S. graminifolium*, 168; *S. laricifolium*, 168; *S. piliferum*, 267; *P. lineare*, 168; *S. serrulatum*, 13; *S. uniflorum*, 267; *S. debile*, 13; *S. breviscapum*, 267.
 STYPANDRA—*S. caespitosa*, 56; *S. glauca*, 161.
 STYPHELIA—*S. exarrhena*, 331.
 SYMPHYOBASIS—*S. macroplecta*, 242; *S. alsinoides*, 242.
 TELOPEA—*T. truncata*, 98. TEMPLETONIA—*T. retusa*, 88, 214.
 TETRATHECA—*T. juncea*, 269, 284; *T. affinis*, 284.
 THRYPTOMENE—*T. baeckeaceae*, 214; *T. calycina*, 214; *T. saxicola*, 214; *T. tuberculata*, 292.
 THYSANOTUS—*T. baueri*, 52; *T. dichotomus*, 52; *T. exasperatus*, 52, 326; *T. juncifolius*, 243; *T. multiflorus*, 243; *T. patersonii*, 52; *T. tenellus*, 52; *T. tuberosus*, 52, 53, 61.
 TRACHYMENE—*T. caerulea*, 9. TRICORYNE—*T. elatior*, 56.
 TRISTANIA—*T. conferta*, 214; *T. laurina*, 214.
 TRYMALIUM—*T. wayi*, 331.
 VELLEIA—*V. spathulata*, 13; *V. paradoxa*, 247; *V. trinervis*, 247.
 VERONICA—*V. decorosa*, 326; *V. gracilis*, 267.
 VERREAUXIA—All three species, 242.
 VERTICORDIA—*V. plumosa*, 214; For S.A., 294.
 VIOLA—*V. hederaceae*, 13, 168.
 WEHLIA—*W. coarctata*, 262.
 WESTRINGIA—*W. fruticosa* (*rosmariniformis*), 182, 214; *W. glabra*, 214; *W. longifolia*, 182.
 WOOLLSIA—*W. pungens*, 178.
 XANTHORRHOEA—161; S.A. species, 294, 326.
 XYLOMELUM—*X. pyriforme*, 166.
 ZIERIA—*Z. cytisoides*, 214; *Z. laevigata*, 172.

